| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0101CV | VOAS - CLP | 1,1,1-Trichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,1,1-Trichloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,1,1-Trichloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,1,1-Trichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,1,1-Trichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,1,1-Trichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,1,2,2-Tetrachloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,1,2-Trichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,1,2-Trichloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,1,2-Trichloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,1,2-Trichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,1,2-Trichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,1,2-Trichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,1-Dichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,1-Dichloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,1-Dichloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,1-Dichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,1-Dichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,1-Dichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,1-Dichloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,1-Dichloroethene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,1-Dichloroethene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,1-Dichloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,1-Dichloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,1-Dichloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 1,2,4-Trichlorobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 1,2-Dichlorobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 1,2-Dichlorobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 1,2-Dichlorobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 1,2-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 1,2-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 1,2-Dichlorobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,2-Dichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,2-Dichloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,2-Dichloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,2-Dichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,2-Dichloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,2-Dichloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,2-Dichloroethene (total) | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,2-Dichloroethene (total) | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,2-Dichloroethene (total) | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,2-Dichloroethene (total) | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,2-Dichloroethene (total) | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,2-Dichloroethene (total) | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 1,2-Dichloropropane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 1,2-Dichloropropane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 1,2-Dichloropropane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 1,2-Dichloropropane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 1,2-Dichloropropane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 1,2-Dichloropropane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 1,3-Dichlorobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 1,3-Dichlorobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0401OS | SEMIS - CLP | 1,3-Dichlorobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 1,3-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 1,3-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 1,3-Dichlorobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 1,4-Dichlorobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 1,4-Dichlorobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 1,4-Dichlorobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 1,4-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 1,4-Dichlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 1,4-Dichlorobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4,5-Trichlorophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4,6-Trichlorophenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4-Dichlorophenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4-Dichlorophenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4-Dichlorophenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4-Dichlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4-Dichlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4-Dichlorophenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4-Dimethylphenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4-Dimethylphenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4-Dimethylphenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4-Dimethylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4-Dimethylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4-Dimethylphenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4-Dinitrophenol | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4-Dinitrophenol | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4-Dinitrophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4-Dinitrophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4-Dinitrophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4-Dinitrophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,4-Dinitrotoluene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,4-Dinitrotoluene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,4-Dinitrotoluene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,4-Dinitrotoluene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,4-Dinitrotoluene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,4-Dinitrotoluene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2,6-Dinitrotoluene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2,6-Dinitrotoluene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2,6-Dinitrotoluene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2,6-Dinitrotoluene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2,6-Dinitrotoluene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2,6-Dinitrotoluene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 2-Butanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 2-Butanone | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 2-Butanone | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 2-Butanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 2-Butanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 2-Butanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Chloronaphthalene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Chloronaphthalene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Chloronaphthalene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Chloronaphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0302OS | SEMIS - CLP | 2-Chloronaphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Chloronaphthalene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Chlorophenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Chlorophenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Chlorophenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Chlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2-Chlorophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Chlorophenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 2-Hexanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 2-Hexanone | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 2-Hexanone | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 2-Hexanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 2-Hexanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 2-Hexanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Methylnaphthalene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Methylnaphthalene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Methylnaphthalene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Methylnaphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2-Methylnaphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Methylnaphthalene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Methylphenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Methylphenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Methylphenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2-Methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Methylphenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Nitroaniline | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Nitroaniline | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 2-Nitrophenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 2-Nitrophenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 2-Nitrophenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 2-Nitrophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 2-Nitrophenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 2-Nitrophenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 3,3'-Dichlorobenzidine | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 3-Nitroaniline | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 3-Nitroaniline | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 3-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 3-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 3-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 3-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4,6-Dinitro-2-methylphenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Bromophenyl-phenylether | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0501OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Chloro-3-methylphenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Chloroaniline | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Chloroaniline | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Chloroaniline | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Chloroaniline | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Chloroaniline | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Chloroaniline | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Chlorophenyl-phenylether | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | 4-Methyl-2-Pentanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | 4-Methyl-2-Pentanone | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | 4-Methyl-2-Pentanone | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | 4-Methyl-2-Pentanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | 4-Methyl-2-Pentanone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | 4-Methyl-2-Pentanone | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Methylphenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Methylphenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Methylphenol | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Methylphenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Methylphenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Nitroaniline | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Nitroaniline | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Nitroaniline | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Nitroaniline | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | 4-Nitrophenol | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | 4-Nitrophenol | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | 4-Nitrophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | 4-Nitrophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | 4-Nitrophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | 4-Nitrophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Acenaphthene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Acenaphthene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Acenaphthene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Acenaphthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Acenaphthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Acenaphthene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Acenaphthylene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Acenaphthylene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Acenaphthylene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Acenaphthylene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Acenaphthylene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Acenaphthylene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Acetone | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Acetone | 59 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Acetone | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Acetone | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Acetone | 26 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Acetone | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101OS | SEMIS - CLP | Aldol Condensate | 200 | | ug/kg | R | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Aldol Condensate | 300 | | ug/kg | R | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0101OS | SEMIS - CLP | Aldol Condensate | 1000 | | ug/kg | R | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Aldol Condensate | 200 | | ug/kg | R | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Aldol Condensate | 300 | | ug/kg | R | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Aldol Condensate | 1000 | | ug/kg | R | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Aldol Condensate | 90 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0301OS | SEMIS - CLP | Aldol Condensate | 200 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0301OS | SEMIS - CLP | Aldol Condensate | 400 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0301OS | SEMIS - CLP | Aldol Condensate | 1000 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Aldol Condensate | 100 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Aldol Condensate | 300 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Aldol Condensate | 1000 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Aldol Condensate | 80 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Aldol Condensate | 300 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Aldol Condensate | 1000 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 20000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 30000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 40000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 50000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 60000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 80000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 100000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 200000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Alkane | 300000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Alkane | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Alkane | 200 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Alkane | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Alkane | 300 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Alkane | 900 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Alkane | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Alkane | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Anthracene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Anthracene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Anthracene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Anthracene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Benzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Benzene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Benzene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Benzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Benzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Benzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Benzo(a)anthracene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Benzo(a)anthracene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Benzo(a)anthracene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Benzo(a)anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Benzo(a)anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Benzo(a)anthracene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Benzo(a)pyrene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Benzo(a)pyrene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Benzo(a)pyrene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Benzo(a)pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Benzo(a)pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Benzo(a)pyrene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Benzo(b)fluoranthene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Benzo(b)fluoranthene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Benzo(b)fluoranthene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Benzo(b)fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Benzo(b)fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Benzo(b)fluoranthene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Benzo(g,h,i)perylene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Benzo(g,h,i)perylene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0401OS | SEMIS - CLP | Benzo(g,h,i)perylene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Benzo(g,h,i)perylene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Benzo(g,h,i)perylene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Benzo(g,h,i)perylene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Benzo(k)fluoranthene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Benzo(k)fluoranthene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Benzo(k)fluoranthene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Benzo(k)fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Benzo(k)fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Benzo(k)fluoranthene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | bis(2-Chloroethoxy)methane | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | bis(2-Chloroethyl)ether | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | bis(2-Chloroisopropyl)ether | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | bis(2-Ethylhexyl)phthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Bromodichloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Bromodichloromethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Bromodichloromethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Bromodichloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Bromodichloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Bromodichloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Bromoform | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Bromoform | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Bromoform | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Bromoform | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Bromoform | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Bromoform | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Bromomethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Bromomethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Bromomethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Bromomethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Bromomethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Bromomethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Butylbenzylphthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Butylbenzylphthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Butylbenzylphthalate | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Butylbenzylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Butylbenzylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Butylbenzylphthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Carbazole | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Carbazole | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Carbazole | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Carbazole | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0302OS | SEMIS - CLP | Carbazole | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Carbazole | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Carbon Disulfide | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Carbon Disulfide | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Carbon Disulfide | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Carbon Disulfide | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Carbon Disulfide | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Carbon Disulfide | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Carbon Tetrachloride | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Carbon Tetrachloride | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Carbon Tetrachloride | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Carbon Tetrachloride | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Carbon Tetrachloride | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Carbon Tetrachloride | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Chlorobenzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Chlorobenzene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Chlorobenzene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Chlorobenzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Chlorobenzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Chlorobenzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Chloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Chloroethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Chloroethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Chloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Chloroethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Chloroethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Chloroform | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Chloroform | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Chloroform | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Chloroform | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Chloroform | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Chloroform | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Chloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Chloromethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Chloromethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Chloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Chloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Chloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Chrysene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Chrysene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Chrysene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Chrysene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Chrysene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Chrysene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | cis-1,3-Dichloropropene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | cis-1,3-Dichloropropene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | cis-1,3-Dichloropropene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | cis-1,3-Dichloropropene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | cis-1,3-Dichloropropene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | cis-1,3-Dichloropropene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Dibenz(a,h)anthracene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Dibenz(a,h)anthracene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Dibenz(a,h)anthracene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Dibenz(a,h)anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Dibenz(a,h)anthracene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Dibenz(a,h)anthracene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Dibenzofuran | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Dibenzofuran | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Dibenzofuran | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Dibenzofuran | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Dibenzofuran | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Dibenzofuran | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0101CV | VOAS - CLP | Dibromochloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Dibromochloromethane | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Dibromochloromethane | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Dibromochloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Dibromochloromethane | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Dibromochloromethane | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Diethylphthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Diethylphthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Diethylphthalate | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Diethylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Diethylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Diethylphthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Dimethylphthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Dimethylphthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Dimethylphthalate | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Dimethylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Dimethylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Dimethylphthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Di-n-butylphthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Di-n-butylphthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Di-n-butylphthalate | 490 | | ug/kg | | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Di-n-butylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Di-n-butylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Di-n-butylphthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Di-n-octylphthalate | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Di-n-octylphthalate | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Di-n-octylphthalate | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Di-n-octylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Di-n-octylphthalate | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Di-n-octylphthalate | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Ethylbenzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Ethylbenzene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Ethylbenzene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Ethylbenzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Ethylbenzene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Ethylbenzene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Fluoranthene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Fluoranthene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Fluoranthene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Fluoranthene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Fluoranthene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Fluorene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Fluorene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Fluorene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Fluorene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Fluorene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Fluorene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Hexachlorobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Hexachlorobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Hexachlorobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Hexachlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Hexachlorobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Hexachlorobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Hexachlorobutadiene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Hexachlorobutadiene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Hexachlorobutadiene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Hexachlorobutadiene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Hexachlorobutadiene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Hexachlorobutadiene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Hexachlorocyclopentadiene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Hexachlorocyclopentadiene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0401OS | SEMIS - CLP | Hexachlorocyclopentadiene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Hexachlorocyclopentadiene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Hexachlorocyclopentadiene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Hexachlorocyclopentadiene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Hexachloroethane | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Hexachloroethane | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Hexachloroethane | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Hexachloroethane | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Hexachloroethane | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Hexachloroethane | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Indeno(1,2,3-cd)pyrene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Isophorone | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Isophorone | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Isophorone | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Isophorone | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Isophorone | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Isophorone | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501CV | VOAS - CLP | Methane, Chlorodifluoro- | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0101CV | VOAS - CLP | Methylene Chloride | 17 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Methylene Chloride | 18 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Methylene Chloride | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Methylene Chloride | 20 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Methylene Chloride | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Methylene Chloride | 16 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Naphthalene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Naphthalene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Naphthalene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Naphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Naphthalene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Naphthalene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Nitrobenzene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Nitrobenzene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Nitrobenzene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Nitrobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Nitrobenzene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Nitrobenzene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | N-Nitroso-di-n-propylamine | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | N-Nitrosodiphenylamine | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | N-Nitrosodiphenylamine | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | N-Nitrosodiphenylamine | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | N-Nitrosodiphenylamine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | N-Nitrosodiphenylamine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | N-Nitrosodiphenylamine | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0401OS | SEMIS - CLP | Organic Acid | 200 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Pentachlorophenol | 30000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Pentachlorophenol | 980 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Pentachlorophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Pentachlorophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Pentachlorophenol | 1100 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Pentachlorophenol | 1000 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Phenanthrene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Phenanthrene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0401OS | SEMIS - CLP | Phenanthrene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Phenanthrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Phenanthrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Phenanthrene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Phenol | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Phenol | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Phenol | 31 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Phenol | 29 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Phenol | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Phenol | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Pyrene | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Pyrene | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Pyrene | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Pyrene | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Pyrene | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Pyridine | 12000 | | ug/kg | U | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Pyridine | 390 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Pyridine | 400 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Pyridine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | SEMIS - CLP | Pyridine | 440 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Pyridine | 410 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Siloxane | 8 | | ug/kg | R | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Siloxane | 8 | | ug/kg | R | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0302CV | VOAS - CLP | Siloxane | 8 | | ug/kg | R | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Styrene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Styrene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Styrene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Styrene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Styrene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Styrene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Tetrachloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Tetrachloroethene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Tetrachloroethene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Tetrachloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Tetrachloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Tetrachloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Toluene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Toluene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Toluene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Toluene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Toluene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Toluene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | TPH | TPH | 3470 | | mg/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | TPH | TPH | 7.9 | | mg/kg | J | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | TPH | TPH | 6.3 | | mg/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | TPH | TPH | 9.7 | | mg/kg | J | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302OS | TPH | TPH | 9.6 | | mg/kg | J | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | TPH | TPH | 43.6 | | mg/kg | J | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | trans-1,3-Dichloropropene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | trans-1,3-Dichloropropene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | trans-1,3-Dichloropropene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | trans-1,3-Dichloropropene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | trans-1,3-Dichloropropene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | trans-1,3-Dichloropropene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Trichloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Trichloroethene | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Trichloroethene | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Trichloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Trichloroethene | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Trichloroethene | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501OS | SEMIS - CLP | Unknown | 20000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |

| Sample no. | Analysis | Compound | Concentration | Rad uncrt | Units | Q flags | Matrix | Type location | Depth (ft) | Sample date |
|---|---|---|---|---|---|---|---|---|---|---|
| 426B0501OS | SEMIS - CLP | Unknown | 30000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0501OS | SEMIS - CLP | Unknown | 40000 | | ug/kg | J | SOLID | BOREHOLE | 10-11.25 | 7/25/95 |
| 426B0101OS | SEMIS - CLP | Unknown | 200 | | ug/kg | J | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Unknown | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Unknown | 200 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Unknown | 300 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0401OS | SEMIS - CLP | Unknown | 4000 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Unknown | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Unknown | 200 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Unknown | 300 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301OS | SEMIS - CLP | Unknown | 200 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Unknown | 80 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Unknown | 100 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0201OS | SEMIS - CLP | Unknown | 400 | | ug/kg | J | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0501CV | VOAS - CLP | Unknown Hydrocarbon | 300 | | ug/kg | J | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0101CV | VOAS - CLP | Vinyl Chloride | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Vinyl Chloride | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Vinyl Chloride | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Vinyl Chloride | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Vinyl Chloride | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Vinyl Chloride | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |
| 426B0101CV | VOAS - CLP | Xylene (total) | 12 | | ug/kg | U | SOLID | BOREHOLE | 5-6.5 | 7/25/95 |
| 426B0401CV | VOAS - CLP | Xylene (total) | 14 | | ug/kg | UJ | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0501CV | VOAS - CLP | Xylene (total) | 62 | | ug/kg | U | SOLID | BOREHOLE | 7.5-10 | 7/25/95 |
| 426B0301CV | VOAS - CLP | Xylene (total) | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0302CV | VOAS - CLP | Xylene (total) | 13 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.17 | 7/24/95 |
| 426B0201CV | VOAS - CLP | Xylene (total) | 12 | | ug/kg | U | SOLID | BOREHOLE | 7.5-9.58 | 7/24/95 |