Table B-2. Design inventory (contaminant mass) for the organic contaminants to be disposed in the INEEL CERCLA Disposal Facility.

| WAG | Contaminant Mass (kg) | yd^3 | kg | 1,1,1-Trichloroethane [f] | 1,1,2,2-Tetrachloroethane | 1,1,2-Trichloroethene | 1,1-Dichloroethane | 1,1-Dichloroethene | 1,2,4-Trichlorobenzene | 1,2-Dichlorobenzene | 1,2-Dichloroethane | 1,2-Dichloroethene (total) | 1,3-Dichlorobenzene | 1,4-Dichlorobenzene | 1,4-Dioxane [g] | 2,4,5-Trichlorophenol | 2,4,6-Trichlorophenol | 2,4-Dichlorophenol | 2,4-Dimethylphenol | 2,4-Dinitrophenol | 2,4-Dinitrotoluene | 2,6-Dinitrotoluene | 2-Butanone | 2-Chloronaphthalene | 2-Chlorophenol | 2-Hexanone | 2-Methylnaphthalene | 2-Methylphenol | 2-Nitroaniline | 2-Nitrophenol | 3,3'-Dichlorobenzidine | 3-Methyl-1-Butanol [g] | 3-Nitroaniline | 4,6-Dinitro-2-methylphenol | 4-Bromophenyl-phenylether | 4-Chloro-3-methylphenol | 4-Chloroaniline | 4-Chlorophenyl-phenylether | 4-Methyl-2-Pentanone [f] | 4-Methylphenol | 4-Nitroaniline | 4-Nitrophenol | Acenaphthene | Acenaphthylene | Acetone [f] | Acetonitrile [g] | Acrolein [g] | Acrylonitrile [g] | Anthracene | Aramite [g] | Aroclor-1016 | Aroclor-1254 | Aroclor-1260 | Aroclor-1268 | Benzene [f] | Benzidine [g] | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(g,h,i)perylene | Benzo(k)fluoranthene | Benzoic acid [g] | bis(2-Chloroethoxy)methane |
|---|---|---

Table B-2. (continued).

| WAG | Contaminant Mass (kg) | yd^3 | kg | bis(2-Chloroethyl)ether | bis(2-Chloroisopropyl)ether | bis(2-Ethylhexyl)phthalate | Butane, 1,1,3,4-Tetrachloro[d] | Butylbenzylphthalate | Carbazole | Carbon Disulfide [f] | Chlorobenzene | Chloroethane | Chloromethane | Chrysene | Decane, 3,4-Dimethyl[d] | Dibutoxane alcohol [d] | Dibenzofuran, Nemmecene | Dibenzofuran | Diethylphthalate | Dimethyl Disulfide [f] | Dimethylphthalate | Di-n-butylphthalate | Di-n-octylphthalate | Eicosane [d] | Ethyl cyanide [d] | Ethylbenzene | Fenphur [d] | Fluoranthene | Fluorene | Heptadecane, 2,6,10,15-Tetra[d] | Hexachlorobenzene | Hexachlorobutadiene | Hexachlorocyclopentadiene | Hexachloroethane | Indene[1,2,3-cd]pyrene | Isobutyl alcohol[f] | Isophorone | Isopropyl Alcohol[n-propanol][f] | Kepone [f] | Mesityl oxide [f] | Methyl Acetate [f] | Methylene Chloride | Naphthalene | Nitrobenzene | N-Nitroso-di-n-propylamine | N-Nitrosodiphenylamine | Octane, 2,3,4,7-Trimethyl[d] | o-Toluenesulfonamide[g] | Pentachlorophenol | Phenanthrene | Phenol | Phenol-2,4,6-Brkr[1,1-Dimethyl][d] | p-Toluenesulfonamide[g] | Pyrene | Styrene | Tetrachloroethene [f] | Toluene [f] | Tributylphosphate | Trichloroethene [f] | Undecane,4,6-Dimethyl[d] | Xylene (ortho) [f] | Xylene (total) [f] |
|---|---|---

Table B-3. Summary statistics for calculating the 95% UCL concentration for organic contaminants.

Release Site	Compound	Detects	Nondetects	Total	Mean	St Dev	UCL	Units
ARA-12	2,4-Dinitrophenol	11	13	24	8.9E-01	4.8E-01	1.3E+00	mglkg
ARA-12	2-Butanone	24		24	1.1E-02	5.9E-04	1.1E-02	mglkg
BORAX-01	2-Butanone	11	40	51	4.9E-02	1.7E-01	1.6E-01	mglkg
WRRTF-01	2-Butanone	35	2	37	1.3E-01	3.8E-01	4.1E-01	mglkg
BORAX-01	Acetone	34	22	56	9.7E-02	2.3E-01	2.3E-01	mglkg
TSF-26	Acetone	8	25	33	2.7E-02	9.3E-03	3.4E-02	mglkg
CFA-04	Alkane	8		8	3.0E-01	3.0E-01	7.8E-01	mglkg
ARA-25	Aroclor-1254	9		9	4.5E-02	4.4E-02	1.1E-01	mglkg
BORAX-01	Benzene	11	78	89	1.3E-01	6.8E-01	4.6E-01	mglkg
BORAX-01	Chlorobenzene	8	36	44	7.3E-02	2.5E-01	2.4E-01	mglkg
CFA-04	Diacetone alcohol	9		9	7.7E+01	9.1E+01	2.1E+02	mglkg
BORAX-01	Ethylbenzene	12	77	89	3.4E-01	1.9E+00	1.3E+00	mglkg
CFA-04	Mesityl oxide	9		9	1.0E+00	2.1E+00	4.2E+00	mglkg
BORAX-01	Methylene Chloride	44	12	56	1.8E-02	4.0E-02	4.2E-02	mglkg
TSF-26	Methylene Chloride	19	36	55	7.0E-03	2.8E-03	8.7E-03	mglkg
BORAX-01	Molybdenum	75		75	1.2E+01	2.0E+01	2.3E+01	mglkg
BORAX-01	Phosphorus	75		75	6.9E+02	4.1E+02	9.0E+02	mglkg
BORAX-01	Tetrachloroethene	8	43	51	1.0E-02	1.9E-03	1.2E-02	mglkg
WRRTF-01	Tetrachloroethene	8	29	37	6.5E-02	1.0E-02	7.2E-02	mglkg
BORAX-01	Toluene	22	67	89	2.1E+00	1.3E+01	8.3E+00	mglkg
TSF-26	Toluene	14	19	33	5.6E-03	1.9E-03	7.1E-03	mglkg
WRRTF-01	Toluene	12	25	37	3.8E-02	5.0E-02	7.5E-02	mglkg
BORAX-01	TPH-Diesel	32	8	40	7.8E+03	1.5E+04	1.9E+04	mglkg
TSF-26	Xylene (total)	19	26	45	7.1E-03	5.5E-03	1.1E-02	mglkg
WRRTF-01	Xylene (total)	11	26	37	5.0E-01	1.5E+00	1.6E+00	mg/kg

Appendix C

Inorganic Contaminant Design Inventory

Table C-1. Design inventory (concentration) for the inorganic contaminants to be disposed in the INEEL CERCLA Disposal Facility.

	Inorganic Conc. (mg/kg)			Aluminum	Antimony	Arsenic	Barium	Beryllium	Boron	Cadmium	Calcium	Chloride	Chromium	Cobalt	Copper	Cyanide	Dysprosium	Fluoride	Iron	Lead	Magnesium	Manganese	Mercury	Molybdenum	Nickel	Nitrate	Nitrate/Nitrite-N	Nitrite	Phosphorus	Potassium	Selenium	Silver	Sodium	Strontium	Sulfate	Sulfide	Terbium	Thallium	Vanadium	Ytterbium	Zinc	Zirconium	
	Background Concentration (mg/kg)			NA	4.8E+00	5.8E+00	3.0E+02	1.8E+00	NA	2.2E+00	2.4E+04	NA	3.3E+01	1.1E+01	2.2E+01	NA	NA	NA	NA	1.7E+01	NA	4.9E+02	5.0E-02	NA	3.5E+01	NA	NA	NA	NA	NA	2.2E-01	0.0E+00		NA	NA	NA	NA	NA	4.5E+01	NA	1.5E+02	NA	
WAG		yd^3	kg																																							
5	ARA-01	2,382	2,731,754																																							ARA-01
5	ARA-12	1,966	2,254,672	1.2E+04	1.1E+01	1.6E+01	1.4E+03	1.7E+00		8.2E+00	7.2E+04		2.1E+02	8.5E+00	3.2E+02				1.6E+04	6.2E+01	9.3E+03	3.7E+02	8.4E-01		2.2E+01				3.4E+03	5.0E+00	3.0E+02	3.8E+02					2.4E-01	3.2E+01		2.4E+02		ARA-12
5	ARA-23	46,500	53,327,688																																							ARA-23
5	ARA-25	71	80,966	7.0E+03	0.0E+00	4.1E+01	1.5E+02	0.0E+00		0.0E+00	9.3E+04		9.8E+01	1.0E+02	2.3E+02				3.4E+04	1.4E+03	3.0E+04	1.4E+03	2.8E+00		3.9E+01				1.4E+03	4.3E-01	7.2E+00	5.8E+02					0.0E+00	1.0E+02		8.6E+02		ARA-25
10	BORAX-01	11,110	12,741,304	1.1E+04	1.7E+02	1.4E+01	5.0E+02	8.9E-01	4.2E+02	2.7E+01	2.5E+04	2.3E+00	8.8E+01	1.3E+01	2.3E+02	3.4E+00	5.7E+00	4.5E+00	1.8E+04	2.5E+02	8.9E+03	7.5E+02	4.7E-01	2.3E+01	5.9E+01	4.0E+00			9.0E+02	2.5E+03	1.0E+01	1.4E+00	4.0E+02	3.3E+02	2.5E+01	2.8E+04	2.0E+01	7.1E+00	6.4E+01	1.1E+01	6.1E+03	1.1E+02	BORAX-01
10	BORAX-08	131	150,235	1.2E+04	1.4E+00	9.0E+00	2.8E+02	1.5E+00	2.2E+02	2.1E+00	5.4E+04	2.3E+00	1.8E+01	1.3E+01	2.2E+01	2.3E+00	5.7E+00	4.5E+00	1.8E+04	2.0E+01	9.5E+03	5.0E+02	5.3E+00	1.2E+01	2.9E+01	4.0E+00			6.9E+02	2.5E+03	1.9E+00	0.0E+00	5.5E+02	8.7E+01	2.5E+01		2.0E+01	3.3E-01	2.8E+01	1.1E+01	2.1E+02	8.0E+01	BORAX-08
4	CFA-04	8,355	9,581,781	1.5E+04	2.2E+00	8.9E+00	3.0E+02	8.3E-01		1.6E+00	4.8E+04		4.6E+01	8.5E+00	5.4E+01				1.8E+04	2.1E+01	1.0E+04	4.1E+02	5.8E+01		6.5E+01	1.1E+01				2.9E+03	9.9E-01	9.9E+00	1.2E+03					3.1E-01	3.5E+01		8.6E+01	2.0E+02	CFA-04
3	CPP-01/04/05 [a]	4,260	4,885,504	6.7E+03						2.8E+00																																CPP-01/04/05 [a]
3	CPP-03	10,940	12,546,342	6.7E+03						2.8E+00																																CPP-03
3	CPP-08/09	3,100	3,555,179	6.7E+03						2.8E+00																																CPP-08/09
3	CPP-10	422	483,963	6.7E+03						2.8E+00																																CPP-10
3	CPP-11	1,491	1,709,927	6.5E+03	8.8E-01	5.5E+00	1.1E+02	5.1E-01	2.2E+02	1.4E+00	2.1E+04	2.3E+00	2.0E+01	5.5E+00	1.6E+01			4.5E+00	1.2E+04	7.5E+00	4.1E+03	2.2E+02	5.0E-02	1.2E+01	6.7E+01	4.0E+00				1.2E+03	8.5E-01	0.0E+00	1.4E+02		2.5E+01			1.3E+00	2.6E+01		5.4E+01	8.0E+01	CPP-11
3	CPP-13	4,022	4,612,558	5.9E+03	4.0E-01	7.8E+00	9.7E+01	4.7E-01	2.2E+02	0.0E+00	1.1E+04	2.3E+00	1.5E+01	4.9E+00	1.5E+01			4.5E+00	1.1E+04	1.1E+01	3.6E+03	2.0E+02	9.1E-01	1.2E+01	1.7E+01	4.0E+00				1.0E+03	9.6E-01	0.0E+00	1.2E+02		2.5E+01			0.0E+00	2.3E+01		6.7E+01	1.2E+01	CPP-13
3	CPP-14	11,046	12,667,906	9.1E+03	1.2E+01	7.1E+00	1.6E+02	7.4E-01	2.2E+02	8.3E-01	4.0E+04	2.3E+00	3.7E+01	8.3E+00	4.9E+01	0.0E+00		4.5E+00	1.7E+04	8.1E+01	4.3E+03	2.8E+02	4.0E+00	1.2E+01	2.0E+01	4.0E+00				1.5E+03	6.9E-01	1.9E+01	3.1E+02		2.5E+01			2.4E-01	2.4E+01		2.0E+02	8.0E+01	CPP-14
3	CPP-19	3,780	4,335,025	5.9E+03	8.3E-01	8.1E+00	1.5E+02	4.5E-01	2.2E+02	7.9E-01	1.3E+05	2.3E+00	1.7E+01	5.2E+00	1.4E+01			4.5E+00	1.1E+04	7.5E+00	7.2E+03	2.0E+02	1.5E-01	1.2E+01	1.8E+01	4.0E+00				1.4E+03	5.9E-01	0.0E+00	3.5E+02		2.5E+01			6.9E-01	2.2E+01		6.7E+01	8.0E+01	CPP-19
3	CPP-34	27,352	31,368,149	8.6E+03		6.0E+00	1.6E+02	5.0E-01	2.2E+02	1.0E+00	2.2E+04	2.3E+00	1.9E+01	7.6E+00	1.7E+01	0.0E+00		2.1E+00	1.1E+04	4.2E+01	6.9E+03	2.7E+02	6.0E-01	1.2E+01	2.6E+01	4.0E+00				1.5E+03	7.0E-01	2.5E+00	1.8E+02		2.5E+01	8.1E+01			2.2E+01		9.0E+01	8.0E+01	CPP-34
3	CPP-35	311	356,665	6.7E+03					2.2E+02	1.4E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01			1.7E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	7.3E+00	1.2E+01	2.0E+01	3.2E+00		0.0E+00		1.1E+03			2.1E+02		2.5E+01				2.3E+01			8.0E+01	CPP-35
3	CPP-36/91	12,520	14,358,337	1.7E+04	1.3E+00	7.4E+00	1.6E+02	9.8E-01	2.2E+02	2.0E+00	2.2E+04	2.3E+00	2.8E+01	1.1E+01	2.7E+01			1.0E+01	2.3E+04	1.5E+01	7.8E+03	4.4E+02	4.6E+00	1.2E+01	3.4E+01	5.6E+00		2.8E-01		2.6E+03	2.0E+00	0.0E+00	1.9E+02		2.5E+01			1.8E+00	3.5E+01		9.6E+01	8.0E+01	CPP-36/91
3	CPP-37A [b]	10,889	12,487,487	6.7E+03		6.8E+00	1.6E+02		2.2E+02	9.9E-01	1.8E+04	2.3E+00	2.1E+01	6.5E+00	2.8E+01			4.5E+00	1.1E+04	1.2E+01	4.8E+03	2.1E+02	9.6E-01	1.2E+01	2.0E+01	4.0E+00				1.1E+03	3.4E-01	0.0E+00	2.1E+02		2.5E+01				2.3E+01			8.0E+01	CPP-37A [b]
3	CPP-37B	102,439	117,479,968	6.7E+03		6.0E+00	1.4E+02		2.2E+02	1.3E+00	1.8E+04	2.3E+00	2.2E+01	6.5E+00	2.8E+01			4.5E+00	1.1E+04	1.3E+01	4.8E+03	2.1E+02	9.0E-02	1.2E+01	2.0E+01	4.0E+00				1.1E+03	4.2E-01	8.5E+00	2.1E+02		2.5E+01				2.3E+01			8.0E+01	CPP-37B
3	CPP-44	89	102,068	6.7E+03	1.9E+00	7.1E+00		1.6E+00	2.2E+02	8.4E+00	1.8E+04	2.3E+00	1.5E+03	6.5E+00	4.8E+01			4.5E+00	1.1E+04	2.8E+02	4.8E+03	2.1E+02	5.0E+00	1.2E+01	3.4E+02	4.0E+00				1.1E+03	2.2E+00	0.0E+00	2.1E+02		2.5E+01			4.7E-01	2.3E+01		1.2E+02	8.0E+01	CPP-44
3	CPP-48	296	339,462	6.7E+03		4.0E+00	7.2E+01		2.2E+02	0.0E+00	1.8E+04	3.3E+00	1.5E+01	6.5E+00	2.8E+01	3.0E-02		2.6E+02	1.1E+04	9.6E+00	4.8E+03	2.1E+02	9.5E-01	1.2E+01	2.0E+01	4.0E+00	5.4E+00			1.1E+03	0.0E+00	0.0E+00	2.1E+02		2.8E+01	0.0E+00			2.3E+01			8.0E+01	CPP-48
3	CPP-55	370	424,328	6.7E+03					2.2E+02	2.8E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01			4.5E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	5.3E+00	1.2E+01	2.0E+01	4.0E+00				1.1E+03			2.1E+02		2.5E+01				2.3E+01			8.0E+01	CPP-55
3	CPP-67 [c]	99,260	113,834,544	4.2E+03		6.4E+00	3.0E+02	3.0E-01	2.2E+02	7.2E+00	1.2E+04	2.3E+00	8.1E+01	6.5E+00	2.8E+01			4.5E+00	9.1E+03	1.3E+01	3.4E+03	1.7E+02	3.0E+01	1.2E+01	1.6E+01	4.0E+00				6.8E+02	8.0E-01	2.1E+01	1.7E+02		2.5E+01			2.1E-01	1.9E+01		4.4E+01	8.0E+01	CPP-67 [c]
3	CPP-69 [d]	61	69,957	6.5E+03	8.8E-01	5.5E+00	1.1E+02	5.1E-01	2.2E+02	1.4E+00	2.1E+04	2.3E+00	2.0E+01	5.5E+00	1.6E+01			4.5E+00	1.2E+04	7.5E+00	4.1E+03	2.2E+02	5.0E-02	1.2E+01	6.7E+01	4.0E+00				1.2E+03	8.5E-01	0.0E+00	1.4E+02		2.5E+01			1.3E+00	2.6E+01		5.4E+01	8.0E+01	CPP-69 [d]
3	CPP-92	1,370	1,571,160	6.7E+03		4.7E+00			2.2E+02	2.8E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01			4.5E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	4.6E+00	1.2E+01	2.0E+01	4.0E+00				1.1E+03	4.1E-01		2.1E+02		2.5E+01				2.3E+01			8.0E+01	CPP-92
3	CPP-93	2,867	3,058,601	6.5E+04					2.2E+02	2.8E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01			4.5E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	7.4E+01	1.2E+01	2.0E+01	4.0E+00	3.4E+01			1.1E+03			4.3E+02		2.5E+01				2.3E+01			8.0E+01	CPP-93
3	CPP-97	1,500	1,720,248	3.9E+03	0.0E+00	4.7E+00	7.1E+01	4.0E-01	2.2E+02	3.2E-01	2.3E+04	2.3E+00	1.2E+01	3.8E+00	1.1E+01			4.5E+00	7.9E+03	6.8E+00	3.1E+03	1.4E+02	1.0E-01	1.2E+01	1.4E+01	4.0E+00				6.7E+02	8.0E-01	2.8E-01	1.5E+02		2.5E+01			0.0E+00	1.6E+01		4.5E+01	8.0E+01	CPP-97
3	CPP-98 [e]	250	286,708	3.9E+03	0.0E+00	4.7E+00	7.1E+01	4.0E-01	2.2E+02	3.2E-01	2.3E+04	2.3E+00	1.2E+01	3.8E+00	1.1E+01			4.5E+00	7.9E+03	6.8E+00	3.1E+03	1.4E+02	1.0E-01	1.2E+01	1.4E+01	4.0E+00				6.7E+02	8.0E-01	2.8E-01	1.5E+02		2.5E+01			0.0E+00	1.6E+01		4.5E+01	8.0E+01	CPP-98 [e]
3	CPP-99 [e]	126	144,501	3.9E+03	0.0E+00	4.7E+00	7.1E+01	4.0E-01	2.2E+02	3.2E-01	2.3E+04	2.3E+00	1.2E+01	3.8E+00	1.1E+01			4.5E+00	7.9E+03	6.8E+00	3.1E+03	1.4E+02	1.0E-01	1.2E+01	1.4E+01	4.0E+00				6.7E+02	8.0E-01	2.8E-01	1.5E+02		2.5E+01			0.0E+00	1.6E+01		4.5E+01	8.0E+01	CPP-99 [e]
3	TF CPP-28 IDW [f]	40	45,873	9.9E+01	9.5E+00	5.0E+00	1.7E+02	4.2E-01	5.0E+00	8.0E+00	2.0E+00	0.0E+00	6.0E+00	7.0E+00	2.0E+00			1.3E+02	2.0E+00	5.0E+00	7.0E+00	3.0E+00	1.3E+01	1.0E+00	2.0E+00	1.0E+03				7.0E+00			4.0E+01		1.1E+01				1.0E+00			8.8E+01	TF CPP-28 IDW [f]
3	TF CPP-31 IDW [f]	40	45,873	9.3E+01	9.5E+00	5.0E+00	1.7E+02	4.2E-01	3.0E+00	8.0E+00	2.9E+01	4.0E+00	2.0E+00	6.0E+01	8.0E+00			2.5E+01	1.1E+01	3.0E+00	6.0E+01	1.2E+01	2.0E+00	1.0E+00	1.0E+00	3.3E+03				7.1E+01			3.2E+02		6.4E+01				8.0E+00			1.5E+01	TF CPP-31 IDW [f]
1	TSF-03 [g]	1,074	1,231,698	6.7E+03	9.5E+00	5.0E+00	1.7E+02	4.2E-01	2.2E+02	2.8E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01	2.3E+00	5.7E+00	4.5E+00	1.1E+04	2.8E+03	4.8E+03	2.1E+02	5.3E+00	1.2E+01	2.0E+01	4.0E+00			6.9E+02	1.1E+03	8.1E-01	7.5E+00	2.1E+02	8.7E+01	2.5E+01		2.0E+01	7.9E-01	2.3E+01	1.1E+01	1.4E+02	8.0E+01	TSF-03 [g]
1	TSF-06 [h]	8,181	9,382,233	2.0E+04	3.9E+00	1.1E+01	2.4E+02	1.0E+00	2.2E+02	2.6E+00	9.7E+04	2.3E+00	4.1E+01	9.5E+00	2.8E+01	2.3E+00	5.7E+00	4.5E+00	2.2E+04	3.2E+01	1.2E+04	4.3E+02	1.4E-01	1.2E+01	3.5E+01	4.0E+00			6.9E+02	3.9E+03	7.6E-01	0.0E+00	5.5E+02	8.7E+01	2.5E+01		2.0E+01	0.0E+00	5.2E+01	1.1E+01	1.3E+02	8.0E+01	TSF-06 [h]
1	TSF-07 [g]	1	1,491	6.7E+03	9.5E+00	4.9E+01	9.7E+03	4.2E-01	2.2E+02	2.8E+00	1.8E+04	2.3E+00	3.0E+01	6.5E+00	2.8E+01	2.3E+00	5.7E+00	4.5E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	5.3E+00	1.2E+01	2.0E+01	4.0E+00			6.9E+02	1.1E+03	8.1E-01	7.5E+00	2.1E+02	8.7E+01	2.5E+01	4.3E+03	2.0E+01	8.4E-01	2.3E+01	1.1E+01	1.4E+02	8.0E+01	TSF-07 [g]
1	TSF-09/18 [g]	4,365	5,005,922	6.7E+03	9.5E+00	5.0E+00	1.7E+02	4.2E-01	2.2E+02	1.3E+01	1.8E+04	2.3E+00	0.0E+00	6.5E+00	2.8E+01	2.3E+00	5.7E+00	4.5E+00	1.1E+04	2.8E+01	4.8E+03	2.1E+02	0.0E+00	1.2E+01	2.0E+01	4.0E+00			6.9E+02	1.1E+03	0.0E+00	0.0E+00	2.1E+02	8.7E+01	2.5E+01		2.0E+01	7.9E-01	2.3E+01	1.1E+01	1.4E+02	8.0E+01	TSF-09/18 [g]
1	TSF-26	10,216	11,716,036	2.0E+04	3.9E+00	1.1E+01	2.4E+02	1.0E+00	2.2E+02	2.6E+00	9.7E+04	2.3E+00	4.1E+01	9.5E+00	2.8E+01	2.3E+00	5.7E+00	4.5E+00	2.2E+04	3.2E+01	1.2E+04	4.3E+02	1.4E-01	1.2E+01	3.5E+01	4.0E+00			6.9E+02	3.9E+03	7.6E-01	0.0E+00	5.5E+02	8.7E+01	2.5E+01		2.0E+01	0.0E+00	5.2E+01	1.1E+01	1.3E+02	8.0E+01	TSF-26
1	WRRTF-01	20,070	23,016,918	6.7E+03	9.5E+00	5.0E+00	1.7E+02	4.2E-01	2.2E+02	2.8E+00	1.8E+04	2.3E+00	1.0E+02	6.5E+00	2.8E+01	2.3E+00	1.2E+03	4.5E+00	1.1E+04	5.8E+02	4.8E+03	2.1E+02	2.7E+00	1.2E+01	2.0E+01	4.0E+00			6.9E+02	1.1E+03	8.1E-01	7.5E+00	2.1E+02	8.7E+01	2.5E+01		1.2E+04	7.9E-01	2.3E+01	4.0E+03	1.4E+02	8.0E+01	WRRTF-01

Blue	- concentration identified in CWID or taken from a referenced report.
No Fill	- no data, not expected to exceed background.
Gray	- concentration estimated from a similar type site (see footnotes) or calculated from data available in the CWID report (DOE-ID 2000).

Footnotes:
a) Site CPP-01/04/05 was combined with data from sites CPP-01 and CPP-04/05 from the CWID.
b) Site CPP-37A was combined with the data from site CPP-37 from the CWID.
c) Site CPP-67 was combined with the data from site CPP-67 Pond from the CWID.
d) Site CPP-69 is assumed to be the same as site CPP-11.
e) Sites CPP-98 and CPP-99 are assumed to be same as site CPP-97.
f) Contaminant concentrations were calculated based on Appendix A of the CWID Report.
g) Data based on the RI/BRA (DOE/ID-10556, November 1997).
h) Site TSF-06 is assumed to be same as site TSF-26.